

Starting Octave

octave start interactive Octave session
 octave *file* run Octave on commands in *file*
 octave --help describe command line options

Stopping Octave

quit or exit exit Octave
 INTERRUPT (*e.g.* C-c) terminate current command and return to top-level prompt

Getting Help

help list all commands and built-in variables
 help *command* briefly describe *command*
 help -i use Info to browse Octave manual
 help -i *command* search for *command* in Octave manual

Motion in Info

SPC or C-v scroll forward one screenful
 DEL or M-v scroll backward one screenful
 C-l redraw the display

Node Selection in Info

n select the next node
 p select the previous node
 u select the 'up' node
 t select the 'top' node
 d select the directory node
 < select the first node in the current file
 > select the last node in the current file
 g reads the name of a node and selects it
 C-x k kills the current node

Searching in Info

s search for a string
 C-s search forward incrementally
 C-r search backward incrementally
 i search index & go to corresponding node
 , go to next match from last 'i' command

Command-Line Cursor Motion

C-b move back one character
 C-f move forward one character
 C-a move the the start of the line
 C-e move to the end of the line
 M-f move forward a word
 M-b move backward a word
 C-l clear screen, reprinting current line at top

Inserting or Changing Text

M-TAB insert a tab character
 DEL delete character to the left of the cursor
 C-d delete character under the cursor
 C-v add the next character verbatim
 C-t transpose characters at the point
 M-t transpose words at the point

[] surround optional arguments ... show one or more arguments

Killing and Yanking

C-k kill to the end of the line
 C-y yank the most recently killed text
 M-d kill to the end of the current word
 M-DEL kill the word behind the cursor
 M-y rotate the kill ring and yank the new top

Command Completion and History

TAB complete a command or variable name
 M-? list possible completions
 RET enter the current line
 C-p move 'up' through the history list
 C-n move 'down' through the history list
 M-< move to the first line in the history
 M-> move to the last line in the history
 C-r search backward in the history list
 C-s search forward in the history list
 history [-q] [N] list N previous history lines, omitting history numbers if -q
 history -w [file] write history to file (~/.octave_hist if no file argument)
 history -r [file] read history from file (~/.octave_hist if no file argument)
 edit_history lines edit and then run previous commands from the history list
 run_history lines run previous commands from the history list
 [beg] [end] Specify the first and last history commands to edit or run.
 If *beg* is greater than *end*, reverse the list of commands before editing. If *end* is omitted, select commands from *beg* to the end of the history list. If both arguments are omitted, edit the previous item in the history list.

Shell Commands

cd *dir* change working directory to *dir*
 pwd print working directory
 ls [options] print directory listing
 getenv (*string*) return value of named environment variable
 system (*cmd*) execute arbitrary shell command string

Matrices

Square brackets delimit literal matrices. Commas separate elements on the same row. Semicolons separate rows. Commas may be replaced by spaces, and semicolons may be replaced by one or more newlines. Elements of a matrix may be arbitrary expressions, provided that all the dimensions agree.

[*x*, *y*, ...] enter a row vector
 [*x*; *y*; ...] enter a column vector
 [*w*, *x*; *y*, *z*] enter a 2×2 matrix

Ranges

base : *limit*
base : *incr* : *limit*
 Specify a range of values beginning with *base* with no elements greater than *limit*. If it is omitted, the default value of *incr* is 1. Negative increments are permitted.

Strings and Common Escape Sequences

A *string constant* consists of a sequence of characters enclosed in either double-quote or single-quote marks.

\\ a literal backslash
 \" a literal double-quote character
 \' a literal single-quote character
 \n newline, ASCII code 10
 \t horizontal tab, ASCII code 9

Index Expressions

var (*idx*) select elements of a vector
var (*idx1*, *idx2*) select elements of a matrix
scalar select row (column) corresponding to *scalar*
vector select rows (columns) corresponding to the elements of *vector*
range select rows (columns) corresponding to the elements of *range*
 : select all rows (columns)

Global Variables

global *var1* ... Declare variables global.
 Global variables may be accessed inside the body of a function without having to be passed in the function parameter list provided they are also declared global within the function.

Selected Built-in Variables

EDITOR editor to use with edit_history
 Inf, NaN IEEE infinity, NaN
 LOADPATH path to search for function files
 PAGER program to use to paginate output
 ans last result not explicitly assigned
 eps machine precision
 pi π
 realmax maximum representable value
 realmin minimum representable value

automatic_replot automatically redraw plots
 do_fortran_indexing Fortran-style indexing of matrices
 implicit_str_to_num_ok allow strings to become numbers
 output_max_field_width maximum numeric field width
 output_precision min significant figures displayed
 page_screen_output control whether output is paged
 prefer_column_vectors create column vectors by default
 resize_on_range_error automatic resizing of matrices
 save_precision digits stored by save command
 silent_functions suppress output from functions
 warn_divide_by_zero suppress divide by zero errors

commas_in_literal_matrix control handling of spaces in matrices
 ignore_function_time_stamp ignore changes in function files during session
 ok_to_lose_imaginary_part allow complex to real conversion
 prefer_zero_one_indexing if ambiguous, prefer 0-1 style indexing

Arithmetic and Increment Operators

<code>x + y</code>	addition
<code>x - y</code>	subtraction
<code>x * y</code>	matrix multiplication
<code>x .* y</code>	element by element multiplication
<code>x / y</code>	right division, conceptually equivalent to (<code>inverse (y') * x'</code>)'
<code>x ./ y</code>	element by element right division
<code>x \ y</code>	left division, conceptually equivalent to <code>inverse (x) * y</code>
<code>x .\ y</code>	element by element left division
<code>x ^ y</code>	power operator
<code>x .^ y</code>	element by element power operator
<code>- x</code>	negation
<code>+ x</code>	unary plus (a no-op)
<code>x '</code>	complex conjugate transpose
<code>x .'</code>	transpose
<code>++ x</code> (<code>-- x</code>)	increment (decrement) <i>x</i> , return <i>new</i> value
<code>x ++</code> (<code>x --</code>)	increment (decrement) <i>x</i> , return <i>old</i> value

Assignment Expressions

<code>var = expr</code>	assign expression to variable
<code>var (idx) = expr</code>	assign expression to indexed variable

Comparison and Boolean Operators

These operators work on an element-by-element basis. Both arguments are always evaluated.

<code>x < y</code>	true if <i>x</i> is less than <i>y</i>
<code>x <= y</code>	true if <i>x</i> is less than or equal to <i>y</i>
<code>x == y</code>	true if <i>x</i> is greater than <i>y</i>
<code>x >= y</code>	true if <i>x</i> is greater than or equal to <i>y</i>
<code>x > y</code>	true if <i>x</i> is equal to <i>y</i>
<code>x != y</code>	true if <i>x</i> is not equal to <i>y</i>
<code>x & y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true
<code>! bool</code>	true <i>bool</i> is false

Short-circuit Boolean Operators

Operators evaluate left-to-right, expecting scalar operands. Operands are only evaluated if necessary, stopping once overall truth value can be determined. Operands are converted to scalars by applying the `all` function.

<code>x && y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true

Operator Precedence

Here is a table of the operators in Octave, in order of increasing precedence.

<code>;</code> <code>,</code>	statement separators
<code>=</code>	assignment, groups left to right
<code> </code> <code>&&</code>	logical “or” and “and”
<code> </code> <code>&</code>	element-wise “or” and “and”
<code><</code> <code><=</code> <code>==</code> <code>>=</code> <code>></code> <code>!=</code>	relational operators
<code>:</code>	colon
<code>+</code> <code>-</code>	addition and subtraction
<code>*</code> <code>/</code> <code>\</code> <code>.*</code> <code>./</code> <code>.\</code>	multiplication and division
<code>'</code> <code>.'</code>	transpose
<code>+</code> <code>-</code> <code>++</code> <code>--</code> <code>!</code>	unary minus, increment, logical “not”
<code>^</code> <code>.^</code>	exponentiation

Statements

for *identifier* = *expr* *stmt-list* **endfor**
Execute *stmt-list* once for each column of *expr*. The variable *identifier* is set to the value of the current column during each iteration.

while (*condition*) *stmt-list* **endwhile**
Execute *stmt-list* while *condition* is true.

break exit innermost loop
continue go to beginning of innermost loop
return return to calling function

if (*condition*) *if-body* [**else** *else-body*] **endif**
Execute *if-body* if *condition* is true, otherwise execute *else-body*.

if (*condition*) *if-body* [**elseif** (*condition*) *elseif-body*] **endif**
Execute *if-body* if *condition* is true, otherwise execute the *elseif-body* corresponding to the first **elseif** condition that is true, otherwise execute *else-body*.
Any number of **elseif** clauses may appear in an **if** statement.

unwind-protect *body* **unwind-protect** **cleanup** *cleanup* **end**
Execute *body*. Execute *cleanup* no matter how control exits *body*.

Defining Functions

function [*ret-list*] *function-name* [(*arg-list*)]
function-body
endfunction

ret-list may be a single identifier or a comma-separated list of identifiers delimited by square-brackets.

arg-list is a comma-separated list of identifiers and may be empty.

Basic Matrix Manipulations

rows (*a*) return number of rows of *a*
columns (*a*) return number of columns of *a*
all (*a*) check if all elements of *a* nonzero
any (*a*) check if any elements of *a* nonzero
find (*a*) return indices of nonzero elements
sort (*a*) order elements in each column of *a*
sum (*a*) sum elements in columns of *a*
prod (*a*) product of elements in columns of *a*
min (*args*) find minimum values
max (*args*) find maximum values
rem (*x*, *y*) find remainder of *x/y*
reshape (*a*, *m*, *n*) reformat *a* to be *m* by *n*

diag (*v*, *k*) create diagonal matrices
linspace (*b*, *l*, *n*) create vector of linearly-spaced elements
logspace (*b*, *l*, *n*) create vector of log-spaced elements
eye (*n*, *m*) create *n* by *m* identity matrix
ones (*n*, *m*) create *n* by *m* matrix of ones
zeros (*n*, *m*) create *n* by *m* matrix of zeros
rand (*n*, *m*) create *n* by *m* matrix of random values

Linear Algebra

chol (*a*) Cholesky factorization
det (*a*) compute the determinant of a matrix
eig (*a*) eigenvalues and eigenvectors
expm (*a*) compute the exponential of a matrix
hess (*a*) compute Hessenberg decomposition
inverse (*a*) invert a square matrix
norm (*a*, *p*) compute the *p*-norm of a matrix
pinv (*a*) compute pseudoinverse of *a*
qr (*a*) compute the QR factorization of a matrix
rank (*a*) matrix rank
schur (*a*) Schur decomposition of a matrix
svd (*a*) singular value decomposition
syl (*a*, *b*, *c*) solve the Sylvester equation

Equations, ODEs, DAEs, Quadrature

***fsolve** solve nonlinear algebraic equations
***lsode** integrate nonlinear ODEs
***dassl** integrate nonlinear DAEs
***quad** integrate nonlinear functions

perror (*nm*, *code*) for functions that return numeric codes, print error message for named function and given error code

* See the on-line or printed manual for the complete list of arguments for these functions.

Signal Processing

fft (*a*) Fast Fourier Transform using FFTPACK
ifft (*a*) inverse FFT using FFTPACK
freqz (*args*) FIR filter frequency response
sinc (*x*) returns $\sin(\pi x)/(\pi x)$

Image Processing

colormap (*map*) set the current colormap
gray2ind (*i*, *n*) convert gray scale to Octave image
image (*img*, *zoom*) display an Octave image matrix
imagesc (*img*, *zoom*) display scaled matrix as image
imshow (*img*, *map*) display Octave image
imshow (*i*, *n*) display gray scale image
imshow (*r*, *g*, *b*) display RGB image
ind2gray (*img*, *map*) convert Octave image to gray scale
ind2rgb (*img*, *map*) convert indexed image to RGB
loadimage (*file*) load an image file
rgb2ind (*r*, *g*, *b*) convert RGB to Octave image
saveimage (*file*, *img*, *fmt*, *map*) save a matrix to *file*

Sets

create_set (*a*, *b*) create row vector of unique values
complement (*a*, *b*) elements of *b* not in *a*
intersection (*a*, *b*) intersection of sets *a* and *b*
union (*a*, *b*) union of sets *a* and *b*

Strings

strcmp (*s*, *t*) compare strings
strcat (*s*, *t*, ...) concatenate strings

C-style Input and Output

fopen (<i>name, mode</i>)	open file <i>name</i>
fclose (<i>file</i>)	close <i>file</i>
printf (<i>fmt, ...</i>)	formatted output to stdout
fprintf (<i>file, fmt, ...</i>)	formatted output to <i>file</i>
sprintf (<i>fmt, ...</i>)	formatted output to string
scanf (<i>fmt</i>)	formatted input from stdin
fscanf (<i>file, fmt</i>)	formatted input from <i>file</i>
sscanf (<i>str, fmt</i>)	formatted input from <i>string</i>
fgets (<i>file, len</i>)	read <i>len</i> characters from <i>file</i>
fflush (<i>file</i>)	flush pending output to <i>file</i>
ftell (<i>file</i>)	return file pointer position
frewind (<i>file</i>)	move file pointer to beginning
freport	print a info for open files
fread (<i>file, size, prec</i>)	read binary data files
fwrite (<i>file, size, prec</i>)	write binary data files
feof (<i>file</i>)	determine if pointer is at EOF

A file may be referenced either by name or by the number returned from **fopen**. Three files are preconnected when Octave starts: **stdin**, **stdout**, and **stderr**.

Other Input and Output functions

save <i>file var ...</i>	save variables in <i>file</i>
load <i>file</i>	load variables from <i>file</i>
disp (<i>var</i>)	display value of <i>var</i> to screen

Miscellaneous Functions

eval (<i>str</i>)	evaluate <i>str</i> as a command
feval (<i>str, ...</i>)	evaluate function named by <i>str</i> , passing remaining args to called function
error (<i>message</i>)	print message and return to top level
clear <i>pattern</i>	clear variables matching pattern
exist (<i>str</i>)	check existence of variable or function
who	list current variables

Polynomials

compan (<i>p</i>)	companion matrix
conv (<i>a, b</i>)	convolution
deconv (<i>a, b</i>)	deconvolve two vectors
poly (<i>a</i>)	create polynomial from a matrix
polyderiv (<i>p</i>)	derivative of polynomial
polyreduce (<i>p</i>)	integral of polynomial
polyval (<i>p, x</i>)	value of polynomial at <i>x</i>
polyvalm (<i>p, x</i>)	value of polynomial at <i>x</i>
roots (<i>p</i>)	polynomial roots
residue (<i>a, b</i>)	partial fraction expansion of ratio <i>a/b</i>

Statistics

corrcoef (<i>x, y</i>)	correlation coefficient
cov (<i>x, y</i>)	covariance
mean (<i>a</i>)	mean value
median (<i>a</i>)	median value
std (<i>a</i>)	standard deviation
var (<i>a</i>)	variance

Basic Plotting

plot [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	2D plotting
gplot [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	3D plotting
<i>ranges</i>	specify data ranges
<i>expr</i>	expression to plot
<i>using</i>	specify columns to plot
<i>title</i>	specify line title for legend
<i>style</i>	specify line style

If *ranges* are supplied, they must come before the expression to plot. The *using*, *title*, and *style* options may appear in any order after *expr*. Multiple expressions may be plotted with a single command by separating them with commas.

set options	set plotting options
show options	show plotting options
replot	redisplay current plot
closeplot	close stream to gnuplot process
purge_tmp_files	clean up temporary plotting files
automatic_replot	built-in variable

Other Plotting Functions

plot (<i>args</i>)	2D plot with linear axes
semilogx (<i>args</i>)	2D plot with logarithmic x-axis
semilogy (<i>args</i>)	2D plot with logarithmic y-axis
loglog (<i>args</i>)	2D plot with logarithmic axes
bar (<i>args</i>)	plot bar charts
stairs (<i>x, y</i>)	plot stairsteps
hist (<i>y, x</i>)	plot histograms

title (*string*) set plot title

axis (<i>limits</i>)	set axis ranges
xlabel (<i>string</i>)	set x-axis label
ylabel (<i>string</i>)	set y-axis label
grid [<i>on off</i>]	set grid state
hold [<i>on off</i>]	set hold state
ishold	return 1 if hold is on, 0 otherwise

mesh (<i>x, y, z</i>)	plot 3D surface
meshdom (<i>x, y</i>)	create mesh coordinate matrices

Edition 1.1 for Octave Version 1.1.1. Copyright 1996, John W. Eaton (jwe@che.utexas.edu). The author assumes no responsibility for any errors on this card.

This card may be freely distributed under the terms of the GNU General Public License.

T_EX Macros for this card by Roland Pesch (pesch@cygnus.com), originally for the GDB reference card

Octave itself is free software; you are welcome to distribute copies of it under the terms of the GNU General Public License. There is absolutely no warranty for Octave.